


Baramati (GEN)

Maharashtra

No. of Electors (2019): 21,14,663

Intersecting Districts

Pune



What this Factsheet Contains

This Factsheet is based on our interactive **NFHS Policy Tracker for Parliamentary Constituencies (PCs)**—part of our **India Policy Insights** initiative. It provides performance measures for 93 indicators and a side-by-side comparison with national and state averages for each PC. It also shows the net change between 2016 and 2021 for 86 indicators to highlight performance gains and losses. The Factsheet additionally lists the intersecting districts for each PC and links each indicator to a current GOI program, thereby readily providing a policy and program context for its meaningful use. See: <https://geographicinsights.iq.harvard.edu/nfhs-tracker-pc>

Indicator Summary (2021)

Number of Indicators better than All-India average



Number of Indicators better than State average




Indicator Change Summary (Between 2016 and 2021)

Ranking based on Percentage of Indicators showing Any Improvement (out of 543 PCs)



● Highest Improvement | ● Improvement | ● Worsened | ● Extremely Worsened



Top 15 Indicators showing Improvement

- Clean fuel for cooking
- Menstrual hygiene
- Exclusive breastfeeding (within 6 months)
- Children with diarrhoea who received zinc
- Current users ever told about side effects
- Interaction of health worker
- Anemia (Pregnant women)
- 10 or more years of schooling (Women)
- Receiving solid/semi-solid food (6-8 months)
- Improved sanitation
- Child marriage (Women)
- Improved water
- Mother and Child Protection card received
- In public facility
- Female school attendance

Top 15 Indicators showing Worsening

- Postnatal check by skilled health workers
- At least 4 antenatal care visits
- Female sterilization
- Any contraceptive method
- Any modern method
- Iron folic acid for 180 days
- Anemia (Children)
- 3 doses of penta or hepatitis B vaccine
- First dose of measles-containing vaccine
- Breastfed within one hour of birth
- Full vaccination (Source from card only)
- Caesarean section in public sector
- Antenatal check-up in the first trimester
- Iron folic acid for 100 days
- Stunting

For more details, see the complete listing of Improving or Worsening Indicators (pp. 2-4).

Indicator %	Government of India Programs	India 2021	State 2021	PC 2021	PC Change 2021-2016	
Population and Household Profile						
Clean fuel for cooking	PMUY	58.6	79.7	86.2	28.2	●
Improved water	JJM, ABY, Amrit sarovar, Jaldoot, PMAY-G, SBM-G	95.9	93.5	99.5	4.6	●
Female school attendance	RTE, NEP, SSA, KGBV, DGAG, NSIG, SVSGC, BBBP, SWAYAM	71.8	79.6	82	2.6	●
Improved sanitation	SBM	70.2	72	68.1	7.1	●
Iodized salt	NIDDCP, Fortification	94.3	96.2	95.5	1.4	●
Population in household with electricity	Saubhagya, DDUGJY, KUSUM, Ujjwala-DISCOM, IPDS, SCM, JNNURM, WISTS, NSM, PMAY-U, JNNURM, AMRUT, MPLADS	96.8	97.8	99.6	1.8	●
Health insurance coverage	PMJAY, PMSBY, AABY	41	20	12.2	-2.2	●
Population below 15 years	RKSK, RBSK	26.5	22.8	23.1	-1.2	●
Birth registration	RBDA	89.1	96.3	97.6	-0.9	●
Death registration	RBDA, MDSR	70.8	89.7	92.4		
Characteristics of Women						
10 or more years of schooling (Women)	RUSA, ATL, RAA, DIKSHA, NEP	41	50.4	51	10.1	●
Literate women	NILP	71.5	84.6	85.2	-0.9	●
Marriage and Fertility						
Child marriage (Women)	PCM	23.3	21.9	24.7	-5	●
Menstrual hygiene	SPMH, AFHC, AHS, PEP, RKSK, SBM-G	77.6	84.8	96	22	●
Adolescent pregnancy	POCSO, MTP	6.8	7.6	5	-0.7	●
Third or higher order birth	ESB, HDC, MPV, MTP, NPP	26.5		16.5	3	●
Current Use of Family Planning Methods						
Condom	NPP, MPV, HDC, NRHM	9.5	10.2	7.2	1.9	●
IUD/PPIUD	NPP, MPV, RPF-PPIUCD, NRHM	2.1	1.9	1.3	0	●
Male sterilization	MPV, NSV, FPIS, NRHM	0.3	0.4	0.1	0	●
Pill	NPP, MPV, Chayya, Mala-N, NRHM	5.4	1.8	1.5	-0.3	●
Any contraceptive method	NPP, MPV, NRHM, FPIS, ECS, RPF-PPIUCD, Antara, ESB, HDC	66.7	66.2	57.4	-13	●
Any modern method	NPP, MPV, NRHM, FPIS, ECS, RPF-PPIUCD, Antara, ESB, HDC	56.4	63.8	55.4	-13	●
Female sterilization	MPV, FPIS, NRHM	37.9	49.1	42.7	-15	●
Injectables	NPP, MPV, Antara, NRHM	0.6	0.2	0.1		
Unmet Need for Family Planning						
Unmet need for spacing	NPP, MPV, ESB, NRHM, FPIS, ECS, RPF-PPIUCD, Antara, HDC	4	3.8	3.9	-0.9	●
Total unmet need	NPP, MPV, RPF-PPIUCD, Antara, ESB, HDC, NRHM, FPIS, ECS	9.4	9.6	11.7	2.7	●
Quality of Family Planning Services						
Interaction of health worker	MPV, NRHM, ESB, JSSK	23.9	21.9	30.8	11.7	●
Current users ever told about side effects	NPP, MPV, NRHM	62.4	52.1	39.8	12	●
Maternal and Child Health						
Iron folic acid for 100 days	AMB, POSHAN, NAP, WIFSP, RBSK, TBSY	44.1	48.2	43.3	-8.4	●
Iron folic acid for 180 days	AMB, POSHAN, NAP, WIFSP, RBSK, TBSY	26	30.9	31	-12.8	●

Indicator %	Government of India Programs	India 2021	State 2021	PC 2021	PC Change 2021-2016	
Last birth protected against neonatal tetanus	PMMVY, PMSMA, SMA, ICDS, JSSK, LQI	92	90.1	92.2	0	●
Mother and Child Protection card received	None	95.9	95.4	97.7	3.6	●
Mothers received postnatal care	PMSMA, PMMVY, MCC, JSSK	78	85.4	90.5	1	●
Antenatal check-up in the first trimester	PMSMA, PMMVY, JSSK	70	70.9	78	-9.1	●
At least 4 antenatal care visits	PMSMA, PMMVY, JSSK	58.5	70.3	69.7	-18.4	●
Postnatal check by skilled health workers	JSSK, SMA, MCC, ICDS, NSSK	11.5	89.1	4.8	-25.3	●
Delivery Care						
Births by skilled health personnel	JSY, JSSK, LQI, HBNC	89.4	93.8	98.2	0.8	●
In public facility	JSY, JSSK, LQI, PMMVY, PMSMA, MCC	61.9	55.8	44.2	3.1	●
Institutional births	JSY, JSSK, LQI, PMMVY, PMSMA, MCC	88.6	94.7	98.5	1.7	●
Caesarean section in private sector	JSY, JSSK, LQI	47.5	39.1	37	2	●
Home delivery by skilled health personnel	BMBP, HBNC, SMB, PMMVY, ICDS-ANM	3.2	2	0.9	-0.3	●
Caesarean section delivery	JSY, JSSK, LQI	21.5	25.4	30.3	6.8	●
Caesarean section in public sector	JSY, JSSK, LQI	14.3	18.3	21.6	10.7	●
Child Vaccinations and Vit A Supplements						
Vitamin A dose in the last 6 months	NVAPP	71.2	72.2	62.1	-1.2	●
3 doses of penta or DPT vaccine	IMI	86.7	83.4	80.8	-7.2	●
3 doses of penta or hepatitis B vaccine	IMI	83.9	75.6	63.7	-11.8	●
3 doses of polio vaccine	IMI, PPP	80.5	79	78.7	-5.3	●
First dose of measles-containing vaccine	IMI	87.9	84.7	82.7	-11.5	●
Full vaccination	IMI, PPP	76.6	73.5	67	-7.8	●
Full vaccination (Source from card only)	IMI, PPP	74.3	81.7	77.8	-11.1	●
3 doses of rotavirus vaccine	IMI	36.4	8.2	8.1		●
Second dose of measles-containing vaccine	IMI	58.6	26.3	48		●
Treatment of Childhood Diseases						
Children with diarrhoea who received zinc	RBSK, IDCF	30.5	27.3	29.2	13.5	●
Children with fever or ARI taken to health facility	NTEP, RBSK, SANPS	69	77.5	87.8	1	●
Children with diarrhoea taken to health facility	RBSK, IDCF	76.2	72.3	76.4	-4.3	●
Children with diarrhoea who received ORS	RBSK, IDCF	60.6	59.5	64.3	-2	●
Prevalence of diarrhoea	RBSK, IDCF	7.3	8.9	8.3	1	●
Prevalence of ARI	NTEP, RBSK, SANPS, RM-ARI	2.8	3.2	3.3	1	●
Child Feeding and Nutritional Status						
Exclusive breastfeeding (within 6 months)	MAA, LMC	63.7	71	73.4	16.9	●
Overweight	POSHAN	3.4	4.1	1.9	-0.3	●
Breastfed within one hour of birth	MAA, LMC, JSSK	41.8	53.2	57.5	-11.2	●
Stunting	POSHAN, ICDS, AK, NRC, RBSK, BPKK	35.5	35.2	32.4	8.1	●