

Prevalence of Anemia, Underweight and Stunting in 342 Districts of India

*Geovisualizing Changes between National Family Health Surveys (NFHS) 4 and 5 against **POSHAN Abhiyaan** targets*

Weiyu Wang, Weixing Zhang, S V Subramanian
Harvard Center for Population and Development Studies

Citation: Wang W, Zhang W, Subramanian S V. *Prevalence of Anemia, Underweight and Stunting in 342 Districts of India: Geovisualizing Changes between National Family Health Surveys (NFHS) 4 and 5 against POSHAN Abhiyaan Targets*. December 2020. Cambridge MA: Geographic Insights Lab, Harvard Center for Population and Development Studies.
<https://doi.org/10.7910/DVN/VNFYSP>


This document presents the prevalence of anemia, underweight and stunting among children, adolescent and women for 342 Districts (17 States and 5 Union Territories) of India from the fourth (2015-16) and fifth (2019-20) National Family Health Survey (NFHS) and percentage point changes between the two surveys through **maps** and **heat-map tables**.

TECHNICAL NOTES

The fifth NFHS (2019-20; noted as 2019 in the Table) factsheet does not provide equivalent data for the fourth NFHS (2015-16; noted as 2016 in the Table) for 79 districts where boundary change occurred. For these districts, we referred to the NFHS-4 district factsheet to calculate the prevalence rate based on the following methodology:

- If a district was created from only one district, we assumed the 2016 prevalence rate for both. For example, Palghar was created from Thane, Maharashtra, and Palghar was not available as a separate district in NFHS-4. We made the reasonable assumption that the NFHS-4 prevalence for the combined Thane was the same as the prevalence of Palghar and Thane.
- If a district was created from multiple districts, we considered the mean of the prevalence rate from all the districts from which the new district was created. For example, Botad was created partially from Ahmadabad and partially from Bhavnagar, Gujarat. We assume the prevalence rate of the Botad in 2016 as the mean of the prevalence of Bhavnagar and Ahmadabad in NFHS-4.
- If a district was available in the NFHS-4 survey, but experienced a change due to the creation of a new district, we retained the NFHS-4 prevalence for 2016. For example, Thane, Ahmadabad and Bhavnagar would have the same prevalence rate as listed in the NFHS-4 factsheet.

The colors in the exhibits show a gradient of blue (for varying levels of improvement as per the POSHAN Abhiyaan targets, i.e., a decline in their percentage prevalence) and gradients of red for reversal (i.e., an increase in their percentage prevalence).



DATA LINKS


For POSHAN Abhiyaan targets:

<https://pib.gov.in/newsite/PrintRelease.aspx?relid=199916>

For NFHS-4 District Factsheets: http://rchiips.org/nfhs/districtfactsheet_NFHS-4.shtml

For NFHS-5 District Factsheets: http://rchiips.org/nfhs/districtfactsheet_NFHS-5.shtml


Exhibit 1: Frequency and Percentage Distribution of 342 Districts across categories of Percent Decline (Improved) and Increase (Reversed)



Number of districts by change					
Change	Stunting (children)	Underweight (children)	Change	Anemia (children)	Anemia (women)
< -6%	69	42	< -9%	20	18
-6% to -4%	36	26	-9% to -6%	13	20
-4% to -2%	32	44	-6% to -3%	14	21
-2% to 0%	29	48	-3 to 0%	17	29
0% to 2%	43	46	0 to 3%	28	51
2% to 4%	32	40	3% to 6%	23	31
4% to 6%	27	30	6% to 9%	41	33
> 6%	74	66	>9%	186	139


Proportion of number of districts by change (%)					
Change	Stunting (children)	Underweight (children)	Change	Anemia (children)	Anemia (women)
< -6%	20.18	12.28	< -9%	5.85	5.26
-6% to -4%	10.53	7.60	-9% to -6%	3.80	5.85
-4% to -2%	9.36	12.87	-6% to -3%	4.09	6.14
-2% to 0%	8.48	14.04	-3 to 0%	4.97	8.48
0% to 2%	12.57	13.45	0 to 3%	8.19	14.91
2% to 4%	9.36	11.70	3% to 6%	6.73	9.06
4% to 6%	7.89	8.77	6% to 9%	11.99	9.65
> 6%	21.64	19.30	>9%	54.39	40.64

Exhibit 2: Mapping District Variation in Anemia (women) across categories of Percent Decline (**Improved**) and Increase (**Reversed**)




Note: Areas in the white indicates districts for which the NFHS-5 data is currently not available.

Exhibit 3: Mapping District Variation in Anemia (children) across categories of Percent Decline (Improved) and Increase (Reversed)




Note: Areas in the white indicates districts for which the NFHS-5 data is currently not available.

Exhibit 4: Mapping District Variation in Underweight (children) across categories of Percent Decline (**Improved**) and Increase (**Reversed**)



Note: Areas in the white indicates districts for which the NFHS-5 data is currently not available.

Exhibit 5: Mapping District Variation in Stunting (children) across categories of Percent Decline (Improved) and Increase (Reversed)



Note: Areas in the white indicates districts for which the NFHS-5 data is currently not available.






Exhibit 6: Percent Prevalence and Change for Anemia (women and children), Underweight and Stunting in 342 Districts of India [NFHS-4 (2016) and NFHS-5 (2019)]


State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Andaman & Nicobar Islands	Nicobar	38.3	55.2	-16.9	37.7	50.5	-12.8	24.6	10.5	14.1	21.6	20.3	1.3
Andaman & Nicobar Islands	North & Middle Andaman	62.1	64.7	-2.6	30.4	47.3	-17.0	42.8	33.5	9.3	27.0	32.5	-5.5
Andaman & Nicobar Islands	South Andaman	57.7	67.0	-9.4	43.4	49.6	-6.2	17.4	18.5	-1.0	21.1	20.1	1.0
Andhra Pradesh	Anantapur	50.5	52.7	-2.3	55.8	53.0	2.8	40.6	39.3	1.3	36.0	40.3	-4.3
Andhra Pradesh	Chittoor	51.8	48.8	3.0	54.9	46.6	8.3	27.9	32.4	-4.5	27.1	31.4	-4.3
Andhra Pradesh	East Godavari	63.0	64.6	-1.6	66.8	63.1	3.6	22.4	27.1	-4.8	23.1	27.7	-4.6
Andhra Pradesh	Guntur	59.5	57.9	1.6	59.3	68.1	-8.8	26.9	29.1	-2.2	23.8	22.1	1.7
Andhra Pradesh	Krishna	60.3	59.4	0.9	65.7	58.1	7.6	21.1	27.7	-6.6	29.8	22.6	7.3
Andhra Pradesh	Kurnool	58.6	54.5	4.1	70.8	54.5	16.3	46.3	37.5	8.7	50.5	44.1	6.4
Andhra Pradesh	Prakasam	60.4	57.7	2.8	62.6	56.3	6.3	24.7	30.3	-5.6	22.6	28.2	-5.7
Andhra Pradesh	Sri Potti Sriramulu Nellore	59.4	59.1	0.3	67.5	50.4	17.0	27.8	28.7	-0.9	29.2	29.4	-0.2
Andhra Pradesh	Srikakulam	62.6	71.8	-9.2	59.6	70.6	-11.0	21.4	28.7	-7.3	19.7	28.0	-8.3
Andhra Pradesh	Visakhapatnam	58.0	66.4	-8.3	72.6	64.5	8.2	33.5	33.1	0.4	31.0	30.1	0.9
Andhra Pradesh	Vizianagaram	64.0	75.5	-11.5	66.7	78.7	-11.9	32.2	34.4	-2.1	36.4	36.8	-0.4
Andhra Pradesh	West Godavari	63.0	59.9	3.1	62.3	55.1	7.2	22.5	30.1	-7.7	31.4	28.5	2.9
Andhra Pradesh	Y.s.r.	56.1	57.7	-1.6	60.6	55.8	4.8	26.7	34.4	-7.7	34.4	36.3	-1.8
Assam	Baksa	73.6	53.4	20.2	78.6	39.0	39.6	34.0	22.4	11.6	41.2	32.4	8.8
Assam	Barpeta	64.8	35.5	29.4	63.5	30.2	33.3	26.2	33.1	-6.9	29.8	41.7	-11.9
Assam	Biswanath	64.4	48.4	16.0	79.8	27.0	52.8	41.0	26.9	14.1	42.7	28.7	14.0
Assam	Bongaigaon	70.6	48.0	22.6	77.2	34.5	42.7	35.3	32.9	2.4	46.2	39.1	7.1
Assam	Cachar	57.4	51.0	6.3	61.8	30.9	30.9	38.2	36.3	1.9	28.7	36.3	-7.7
Assam	Charaideo	72.3	35.2	37.1	69.7	33.5	36.2	34.8	22.2	12.6	39.0	35.5	3.5
Assam	Chirang	65.2	50.3	14.9	70.4	35.6	34.8	39.7	24.7	15.0	42.7	40.1	2.6
Assam	Darrang	70.4	45.1	25.3	66.8	45.4	21.4	33.1	37.9	-4.9	42.0	43.5	-1.4
Assam	Dhemaji	62.9	39.8	23.0	73.1	38.9	34.1	25.7	15.8	9.9	37.2	35.5	1.7
Assam	Dhubri	63.2	52.5	10.7	73.1	42.6	30.5	37.8	39.0	-1.2	48.5	47.4	1.1




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Assam	Dibrugarh	70.8	53.7	17.1	66.4	52.6	13.9	32.0	33.0	-1.1	27.3	33.3	-6.0
Assam	Dima Hasao	60.5	39.8	20.7	73.1	28.9	44.2	21.7	18.2	3.5	30.6	34.7	-4.1
Assam	Goalpara	64.9	49.7	15.2	60.7	36.0	24.7	35.4	39.5	-4.1	38.9	42.7	-3.8
Assam	Golaghat	77.2	45.5	31.7	75.1	33.3	41.9	25.5	20.2	5.3	26.3	32.6	-6.3
Assam	Hailakandi	61.4	47.2	14.2	59.5	29.0	30.4	42.4	32.5	10.0	42.9	38.1	4.8
Assam	Hojai	56.3	38.1	18.2	56.8	35.4	21.4	28.4	31.3	-3.0	39.3	38.4	0.9
Assam	Jorhat	71.8	42.6	29.2	74.1	38.0	36.1	33.2	18.1	15.1	38.7	25.5	13.2
Assam	Kamrup	71.5	51.1	20.4	72.9	33.7	39.3	19.7	29.6	-9.9	22.6	33.3	-10.7
Assam	Kamrup Metropolitan	74.6	53.8	20.8	80.4	34.5	45.9	25.0	23.2	1.9	25.4	24.6	0.7
Assam	Karbi Anglong	59.0	39.1	19.9	67.5	24.6	42.9	28.2	23.7	4.5	31.6	28.1	3.5
Assam	Karimganj	52.0	42.2	9.8	64.1	24.6	39.5	52.9	35.6	17.3	29.1	42.3	-13.2
Assam	Kokrajhar	59.5	51.0	8.5	74.7	40.4	34.2	35.2	27.1	8.0	34.6	30.6	4.0
Assam	Lakhimpur	65.4	39.0	26.5	69.3	31.8	37.5	34.4	24.2	10.2	38.5	29.3	9.2
Assam	Majuli	67.8	42.6	25.2	73.0	38.0	35.0	22.2	18.1	4.1	35.4	25.5	9.9
Assam	Marigaon	64.2	41.4	22.9	53.3	38.2	15.1	30.5	25.8	4.7	43.2	38.4	4.8
Assam	Nagaon	61.0	38.1	22.9	68.6	35.4	33.2	32.4	31.3	1.1	38.9	38.4	0.5
Assam	Nalbari	66.4	44.1	22.3	71.0	45.3	25.6	26.7	20.0	6.7	27.5	26.8	0.7
Assam	Sivasagar	67.6	35.2	32.4	67.5	33.5	34.0	25.9	22.2	3.7	26.1	35.5	-9.4
Assam	Sonitpur	63.6	48.4	15.2	69.4	27.0	42.4	21.9	26.9	-5.1	36.7	28.7	8.0
Assam	South Salmara- Mankachar	57.1	52.5	4.6	69.6	42.6	27.0	27.9	39.0	-11.1	38.9	47.4	-8.5
Assam	Tinsukia	72.8	49.6	23.3	66.4	42.6	23.8	32.2	32.7	-0.6	32.8	36.0	-3.2
Assam	Udalguri	81.5	54.8	26.7	77.6	39.7	37.9	32.5	31.8	0.8	33.8	39.1	-5.3
Assam	West Karbi Anglong	57.9	39.1	18.8	79.0	24.6	54.4	31.1	23.7	7.4	40.9	28.1	12.8
Bihar	Araria	67.9	65.6	2.3	75.8	61.8	14.1	47.8	45.4	2.4	49.9	48.4	1.5
Bihar	Arwal	66.9	57.4	9.5	65.8	66.8	-1.0	52.9	54.0	-1.1	45.6	50.2	-4.5
Bihar	Aurangabad	60.5	54.3	6.2	68.4	53.4	15.0	48.7	47.6	1.1	41.2	48.3	-7.1
Bihar	Banka	65.9	67.0	-1.1	77.8	70.4	7.4	45.8	48.5	-2.7	46.7	49.6	-2.9
Bihar	Begusarai	62.9	59.3	3.6	74.5	62.7	11.9	35.6	39.1	-3.4	37.8	44.9	-7.2
Bihar	Bhagalpur	73.0	61.6	11.4	78.7	70.1	8.6	40.4	40.8	-0.4	40.0	46.6	-6.7




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Bihar	Bhojpur	73.6	61.1	12.5	67.7	70.6	-2.9	44.0	47.2	-3.2	40.7	43.5	-2.8
Bihar	Buxar	66.2	51.3	14.9	68.3	59.8	8.6	45.3	41.2	4.2	39.6	43.9	-4.2
Bihar	Darbhanga	60.8	66.1	-5.3	68.9	69.9	-1.0	39.2	41.1	-1.9	45.4	49.0	-3.6
Bihar	Gaya	64.3	61.8	2.6	76.7	59.0	17.7	43.5	53.1	-9.7	47.4	52.9	-5.5
Bihar	Gopalganj	53.8	58.8	-5.0	56.1	63.3	-7.2	29.2	30.5	-1.3	34.2	35.6	-1.5
Bihar	Jamui	75.2	61.9	13.3	81.9	61.3	20.6	37.5	47.2	-9.7	43.0	45.9	-2.8
Bihar	Jehanabad	68.1	56.7	11.3	61.9	61.4	0.5	51.7	47.1	4.7	41.3	52.1	-10.9
Bihar	Kaimur (bhabua)	70.3	57.8	12.5	71.4	63.0	8.4	47.2	48.1	-0.9	44.1	53.8	-9.7
Bihar	Katihar	68.4	63.8	4.6	65.6	61.3	4.3	48.1	45.1	3.0	43.9	49.2	-5.2
Bihar	Khagaria	59.5	59.8	-0.3	67.1	63.4	3.6	36.4	42.4	-6.0	34.8	49.8	-15.0
Bihar	Kishanganj	65.1	67.6	-2.5	67.5	65.2	2.2	41.1	45.4	-4.3	38.8	46.9	-8.1
Bihar	Lakhisarai	72.6	62.1	10.4	77.2	66.3	10.9	45.1	47.3	-2.2	42.7	50.6	-7.9
Bihar	Madhepura	65.7	57.5	8.2	67.7	61.4	6.4	43.5	49.2	-5.7	46.3	51.8	-5.5
Bihar	Madhubani	61.4	61.1	0.3	71.0	62.9	8.1	36.0	45.4	-9.4	43.3	51.8	-8.5
Bihar	Munger	71.4	66.1	5.2	74.3	62.5	11.9	39.5	43.7	-4.2	35.5	46.6	-11.1
Bihar	Muzaffarpur	58.9	52.4	6.5	64.6	58.5	6.2	34.7	42.3	-7.6	42.6	47.9	-5.3
Bihar	Nalanda	71.0	61.6	9.4	80.3	59.0	21.3	46.7	50.2	-3.5	42.6	54.1	-11.5
Bihar	Nawada	70.4	58.8	11.6	73.3	56.4	17.0	37.3	45.9	-8.6	49.4	48.4	1.1
Bihar	West Champaran	50.6	58.5	-7.9	61.6	62.3	-0.8	30.3	39.1	-8.8	43.5	43.6	-0.2
Bihar	Patna	67.1	57.1	10.1	65.4	51.6	13.8	39.6	43.3	-3.7	34.5	43.5	-9.0
Bihar	East Champaran	57.3	54.7	2.6	61.0	65.7	-4.7	37.9	40.8	-3.0	49.1	47.2	1.9
Bihar	Purnia	66.0	68.8	-2.8	68.0	66.5	1.6	47.1	47.0	0.1	43.5	52.1	-8.5
Bihar	Rohtas	64.9	62.0	2.9	70.3	61.3	9.1	48.2	45.1	3.1	40.0	48.5	-8.6
Bihar	Saharsa	65.3	60.4	4.9	69.3	68.4	0.8	42.7	44.4	-1.7	47.8	43.9	3.9
Bihar	Samastipur	60.5	59.4	1.1	67.2	65.4	1.8	42.8	41.3	1.5	44.0	49.2	-5.2
Bihar	Saran (chhapra)	62.8	53.9	8.9	69.8	61.9	7.9	45.0	40.4	4.6	39.7	46.1	-6.4
Bihar	Sheikhpura	69.5	66.8	2.8	80.1	66.0	14.1	37.6	51.7	-14.1	53.6	46.4	7.2
Bihar	Sheohar	61.6	55.0	6.7	73.1	63.7	9.5	42.2	42.8	-0.6	34.4	53.0	-18.5
Bihar	Sitamarhi	61.7	59.8	1.9	70.0	69.0	1.1	40.8	47.7	-6.9	54.2	57.3	-3.2




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Bihar	Siwan	53.1	60.5	-7.4	63.9	63.1	0.9	30.8	31.6	-0.8	36.7	37.9	-1.2
Bihar	Supaul	60.7	68.1	-7.4	63.6	72.4	-8.8	45.0	43.4	1.6	42.3	48.1	-5.8
Bihar	Vaishali	63.1	62.1	1.0	77.1	67.4	9.7	38.4	41.3	-3.0	38.3	53.7	-15.4
Dadra & Nagar Haveli, Daman & Diu	Dadra & Nagar Haveli	64.4	79.5	-15.1	74.8	84.6	-9.8	42.1	38.9	3.2	42.4	41.7	0.7
Dadra & Nagar Haveli, Daman & Diu	Daman	60.8	60.3	0.5	82.5	74.3	8.2	29.3	25.2	4.1	30.0	18.9	11.1
Dadra & Nagar Haveli, Daman & Diu	Diu	50.3	54.7	-4.4	62.8	72.1	-9.4	28.5	31.1	-2.5	33.9	37.3	-3.4
Goa	North Goa	40.0	33.0	7.0	55.2	48.5	6.7	25.8	23.8	2.1	24.2	21.4	2.8
Goa	South Goa	37.6	28.7	8.9	50.0	48.1	1.9	21.0	23.9	-2.9	28.3	18.3	10.0
Gujarat	Ahmadabad	63.7	62.9	0.8	72.0	76.0	-4.0	34.0	31.0	3.0	35.5	29.4	6.1
Gujarat	Amreli	50.0	56.0	-6.0	72.0	74.5	-2.5	30.6	31.7	-1.1	35.3	37.8	-2.5
Gujarat	Anand	66.4	50.4	16.0	78.4	59.7	18.7	46.6	41.3	5.4	38.4	48.2	-9.8
Gujarat	Aravalli	77.3	67.2	10.1	89.5	72.5	17.0	47.2	45.5	1.7	47.1	50.6	-3.5
Gujarat	Banaskntha	60.0	50.0	10.0	79.0	57.2	21.8	44.1	43.1	1.0	39.0	40.7	-1.7
Gujarat	Bharuch	71.8	52.0	19.8	81.0	56.8	24.2	45.5	44.2	1.3	40.9	41.5	-0.6
Gujarat	Bhavnagar	49.4	54.0	-4.6	71.5	69.2	2.3	39.5	44.4	-4.9	32.6	48.4	-15.8
Gujarat	Botad	58.8	58.5	0.3	75.5	72.6	2.9	32.3	37.7	-5.4	32.2	38.9	-6.7
Gujarat	Chhota Udepur	78.9	49.2	29.7	87.7	54.3	33.4	48.1	39.1	9.0	48.6	43.8	4.8
Gujarat	Devbhoomi Dwarka	48.8	63.8	-15.0	66.7	75.7	-9.1	36.2	29.3	6.9	30.2	27.9	2.3
Gujarat	Dahod	75.1	56.3	18.8	87.2	58.9	28.3	53.0	50.8	2.2	55.3	44.4	11.0
Gujarat	Gandhinagar	68.8	65.8	3.0	81.2	73.7	7.5	44.6	42.7	2.0	38.1	36.5	1.6
Gujarat	Gir Somnath	49.9	59.7	-9.8	68.9	77.1	-8.2	30.3	27.2	3.1	44.4	27.9	16.5
Gujarat	Jamnagar	50.2	63.8	-13.6	75.0	75.7	-0.7	28.9	29.3	-0.4	28.4	27.9	0.5
Gujarat	Junagadh	58.8	59.7	-0.9	74.7	77.1	-2.4	26.4	27.2	-0.8	37.3	27.9	9.4
Gujarat	Kachchh	57.5	62.5	-5.0	68.6	81.4	-12.8	33.4	39.0	-5.5	37.5	40.8	-3.3
Gujarat	Kheda	76.1	54.5	21.6	85.1	53.7	31.4	39.5	48.1	-8.6	37.3	45.5	-8.2
Gujarat	Mehsana	69.3	61.9	7.3	86.0	77.8	8.2	41.4	41.9	-0.5	31.0	40.5	-9.4
Gujarat	Mahisagar	72.5	52.5	20.1	85.9	52.0	33.9	49.0	45.2	3.8	43.4	43.0	0.5
Gujarat	Morbi	50.7	57.1	-6.4	75.3	67.2	8.1	32.3	38.7	-6.3	32.9	38.2	-5.3




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Gujarat	Narmada	75.9	55.6	20.3	93.2	53.6	39.7	52.8	53.6	-0.8	47.2	47.4	-0.3
Gujarat	Navsari	68.7	52.1	16.6	75.3	51.9	23.3	43.6	37.4	6.2	36.8	38.9	-2.1
Gujarat	Panchmahal	69.8	50.4	19.4	91.0	50.2	40.8	51.9	42.3	9.6	47.1	40.4	6.7
Gujarat	Patan	59.8	59.6	0.2	76.2	67.2	9.0	42.3	38.4	3.8	50.5	37.6	12.9
Gujarat	Porbandar	47.6	59.2	-11.6	77.9	70.8	7.0	25.5	27.7	-2.2	18.2	22.6	-4.5
Gujarat	Rajkot	60.5	52.6	7.9	77.0	57.6	19.4	37.0	31.4	5.6	38.9	30.9	8.0
Gujarat	Sabarkantha	67.3	67.2	0.1	81.1	72.5	8.6	41.0	45.5	-4.5	37.0	50.6	-13.6
Gujarat	Surat	69.0	39.0	29.9	83.6	42.3	41.3	32.5	36.1	-3.6	36.1	30.0	6.1
Gujarat	Surendranagar	55.6	61.5	-5.9	81.0	76.8	4.2	41.8	45.9	-4.1	39.2	45.5	-6.3
Gujarat	Tapi	77.4	54.4	23.0	80.7	49.5	31.3	51.8	42.4	9.4	41.7	35.9	5.8
Gujarat	Dangs	77.2	72.2	5.0	82.4	74.1	8.3	53.1	60.0	-6.9	37.6	48.1	-10.5
Gujarat	Vadodara	72.3	49.2	23.1	86.4	54.3	32.1	39.9	39.1	0.8	42.3	43.8	-1.5
Gujarat	Valsad	75.7	50.9	24.8	87.6	50.4	37.3	34.8	41.9	-7.0	37.8	43.3	-5.5
Himachal Pradesh	Bilaspur	53.0	39.1	13.9	44.8	28.3	16.5	38.8	23.4	15.4	40.1	27.2	12.9
Himachal Pradesh	Chamba	43.7	51.2	-7.5	46.5	66.3	-19.8	26.0	22.5	3.5	42.6	29.9	12.7
Himachal Pradesh	Hamirpur	49.5	35.8	13.7	52.0	41.2	10.8	23.6	19.4	4.2	27.3	29.3	-2.0
Himachal Pradesh	Kangra	63.4	59.7	3.7	55.3	47.3	7.9	32.0	23.3	8.7	28.0	25.6	2.4
Himachal Pradesh	Kinnaur	51.7	80.8	-29.1	75.6	83.1	-7.5	18.9	15.9	3.1	32.2	18.4	13.8
Himachal Pradesh	Kullu	52.8	59.5	-6.7	75.3	54.9	20.4	25.6	11.0	14.6	35.9	19.0	16.9
Himachal Pradesh	Lahaul & Spiti	82.1	83.2	-1.2	91.0	94.7	-3.8	18.4	16.1	2.4	28.5	23.0	5.4
Himachal Pradesh	Mandi	48.9	39.8	9.1	52.2	37.8	14.5	21.3	16.2	5.1	31.3	26.3	5.1
Himachal Pradesh	Shimla	46.5	68.7	-22.2	59.1	70.0	-10.9	14.9	24.8	-9.9	27.1	30.3	-3.2
Himachal Pradesh	Sirmaur	50.1	48.0	2.1	58.5	65.1	-6.6	24.2	25.3	-1.1	28.6	23.5	5.2
Himachal Pradesh	Solan	47.5	67.5	-20.0	50.4	71.8	-21.4	26.7	29.4	-2.7	32.3	27.6	4.7
Himachal Pradesh	Una	60.8	46.9	13.8	58.7	56.6	2.2	25.8	14.6	11.2	24.7	22.6	2.1
Jammu & Kashmir	Anantnag	74.3	36.6	37.7	79.2	41.1	38.1	28.3	8.2	20.1	28.2	18.2	10.0
Jammu & Kashmir	Badgam	73.9	70.0	3.9	85.0	71.3	13.7	20.6	8.9	11.7	26.8	20.4	6.4
Jammu & Kashmir	Bandipore	73.7	55.0	18.8	75.1	58.9	16.2	16.8	9.9	7.0	25.2	20.5	4.7
Jammu & Kashmir	Baramula	72.5	55.6	16.9	70.4	63.6	6.8	17.3	12.8	4.5	23.2	28.6	-5.4




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Jammu & Kashmir	Doda	66.5	35.3	31.2	80.7	56.3	24.3	15.2	18.8	-3.6	32.7	36.2	-3.6
Jammu & Kashmir	Ganderbal	77.2	52.8	24.5	89.8	52.7	37.1	20.1	8.3	11.8	18.5	24.4	-5.9
Jammu & Kashmir	Jammu	66.6	35.6	31.1	68.4	33.7	34.8	17.6	16.6	1.1	27.0	23.2	3.8
Jammu & Kashmir	Kathua	53.6	39.9	13.7	67.0	41.6	25.5	25.9	19.1	6.8	21.8	31.5	-9.7
Jammu & Kashmir	Kishtwar	84.8	57.7	27.2	88.5	65.3	23.2	17.7	18.9	-1.2	27.5	29.3	-1.8
Jammu & Kashmir	Kulgam	77.0	54.3	22.6	77.7	59.7	18.0	15.3	10.2	5.1	28.4	20.9	7.5
Jammu & Kashmir	Kupwara	73.5	70.5	3.0	78.8	75.2	3.6	25.5	14.4	11.2	24.9	30.8	-5.9
Jammu & Kashmir	Pulwama	73.2	58.7	14.4	67.4	53.7	13.8	20.2	11.5	8.8	22.4	22.7	-0.4
Jammu & Kashmir	Poonch	54.1	34.6	19.5	54.3	51.5	2.8	18.8	22.2	-3.4	25.9	27.6	-1.7
Jammu & Kashmir	Rajouri	60.6	37.8	22.9	76.4	52.0	24.4	32.4	22.8	9.6	30.3	36.7	-6.4
Jammu & Kashmir	Ramban	59.7	46.5	13.2	62.0	51.6	10.4	21.2	18.8	2.5	25.7	33.6	-7.9
Jammu & Kashmir	Reasi	62.9	45.8	17.1	69.7	63.5	6.2	11.7	22.7	-11.0	17.7	25.4	-7.7
Jammu & Kashmir	Samba	62.4	37.1	25.3	69.0	45.9	23.1	15.5	9.0	6.5	24.5	19.6	4.9
Jammu & Kashmir	Shopian	63.9	55.7	8.2	57.1	58.4	-1.2	33.5	11.1	22.5	22.0	22.8	-0.9
Jammu & Kashmir	Srinagar	51.7	60.1	-8.4	77.0	51.4	25.6	15.8	23.2	-7.4	33.0	26.9	6.1
Jammu & Kashmir	Udhampur	56.5	58.2	-1.8	70.4	64.0	6.4	31.9	27.4	4.6	37.3	43.1	-5.8
Karnataka	Bagalkot	48.0	40.8	7.1	63.8	62.6	1.2	42.3	44.6	-2.3	48.3	47.3	1.0
Karnataka	Bangalore	35.5	39.6	-4.1	58.9	51.7	7.1	28.1	26.8	1.3	31.3	28.1	3.2
Karnataka	Bangalore Rural	44.2	46.2	-2.0	60.8	48.8	12.0	23.8	26.5	-2.6	36.6	28.7	7.9
Karnataka	Belgaum	52.9	41.2	11.7	72.7	66.3	6.5	36.9	38.5	-1.7	32.8	36.7	-3.9
Karnataka	Bellary	58.1	49.9	8.2	67.5	72.3	-4.8	36.5	53.3	-16.8	36.1	49.5	-13.4
Karnataka	Bidar	55.9	44.3	11.6	69.3	69.1	0.2	36.1	39.4	-3.3	36.8	42.8	-6.0
Karnataka	Bijapur	52.9	41.9	11.0	65.2	68.0	-2.7	39.0	38.9	0.1	45.9	44.9	1.1
Karnataka	Chamrajnagar	46.3	44.5	1.9	68.7	53.2	15.4	28.7	31.1	-2.4	32.2	30.5	1.8
Karnataka	Chikkaballapura	45.5	54.0	-8.5	59.0	62.9	-4.0	25.2	28.5	-3.3	31.3	37.7	-6.3
Karnataka	Chikmagalur	40.8	42.2	-1.4	53.2	57.9	-4.7	25.4	24.6	0.9	27.3	21.1	6.2
Karnataka	Chitradurga	44.6	43.7	0.9	61.1	64.4	-3.2	32.4	29.9	2.5	36.0	28.6	7.4
Karnataka	Dakshina Kannada	38.8	45.4	-6.6	51.1	54.3	-3.1	26.4	21.7	4.7	25.1	23.9	1.2
Karnataka	Davanagere	51.7	46.9	4.8	70.2	65.9	4.3	32.8	41.9	-9.1	38.4	46.4	-7.9




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Karnataka	Dharwad	52.1	45.9	6.3	67.2	50.7	16.5	40.4	41.1	-0.7	45.2	37.4	7.8
Karnataka	Gadag	50.5	41.1	9.3	70.3	70.7	-0.3	39.8	38.1	1.7	45.2	34.8	10.4
Karnataka	Gulbarga	56.0	43.1	12.9	75.1	72.4	2.7	36.2	56.7	-20.5	34.5	52.2	-17.6
Karnataka	Hassan	42.2	47.0	-4.8	63.6	53.1	10.6	23.8	26.4	-2.6	27.1	27.0	0.1
Karnataka	Haveri	50.8	52.7	-1.9	66.9	63.9	3.0	35.0	36.9	-2.0	29.9	43.8	-13.9
Karnataka	Kodagu	39.9	37.2	2.7	54.4	46.6	7.7	22.6	25.7	-3.1	30.4	29.8	0.6
Karnataka	Kolar	43.6	44.9	-1.3	57.9	57.3	0.7	15.7	27.7	-12.0	31.1	32.0	-0.9
Karnataka	Koppal	54.8	45.6	9.2	70.7	68.1	2.6	45.8	49.9	-4.1	49.1	55.8	-6.7
Karnataka	Mandya	47.0	46.2	0.8	58.2	55.2	3.1	16.7	20.3	-3.6	24.3	18.6	5.7
Karnataka	Mysore	48.0	45.6	2.4	57.2	60.1	-2.8	28.2	24.9	3.3	27.5	25.1	2.4
Karnataka	Raichur	60.4	58.7	1.7	73.6	70.6	3.1	40.7	41.2	-0.4	39.8	37.2	2.6
Karnataka	Ramanagara	45.5	47.5	-2.0	60.2	53.9	6.3	19.8	22.9	-3.1	15.6	22.0	-6.4
Karnataka	Shimoga	41.9	48.6	-6.7	68.9	53.8	15.1	34.4	30.6	3.8	29.0	35.3	-6.3
Karnataka	Tumkur	49.3	52.7	-3.4	67.6	53.8	13.8	26.7	26.0	0.7	40.3	28.6	11.8
Karnataka	Udupi	47.3	44.7	2.6	58.3	56.2	2.1	21.0	22.3	-1.3	23.1	21.1	2.0
Karnataka	Uttara Kannada	44.6	41.9	2.7	69.0	47.7	21.3	33.3	30.1	3.1	29.6	37.9	-8.4
Karnataka	Yadgir	57.3	47.7	9.6	76.0	74.0	2.0	45.2	50.3	-5.1	57.6	55.5	2.1
Kerala	Alappuzha	31.9	27.0	4.9	30.3	24.9	5.3	20.4	17.2	3.2	20.1	14.5	5.6
Kerala	Ernakulam	31.7	37.6	-5.9	36.4	23.4	13.0	19.4	12.0	7.4	22.0	12.4	9.6
Kerala	Idukki	32.0	29.2	2.8	32.0	32.6	-0.5	23.6	14.8	8.7	24.3	15.1	9.2
Kerala	Kannur	39.7	37.3	2.4	37.2	44.1	-6.9	17.9	10.5	7.4	19.4	25.3	-5.9
Kerala	Kasaragod	35.4	35.0	0.3	34.3	37.7	-3.5	21.4	13.9	7.6	25.3	18.7	6.7
Kerala	Kollam	36.0	25.5	10.5	32.5	18.1	14.5	17.0	14.2	2.8	15.5	14.4	1.1
Kerala	Kottayam	38.7	28.8	10.0	36.8	33.8	3.1	17.3	11.3	6.0	23.4	22.0	1.4
Kerala	Kozhikode	29.8	42.9	-13.1	32.1	39.7	-7.6	18.9	18.5	0.4	21.3	18.0	3.3
Kerala	Malappuram	34.7	38.6	-3.9	47.2	54.6	-7.4	21.4	17.3	4.0	29.4	26.3	3.0
Kerala	Palakkad	49.6	42.3	7.4	51.9	41.1	10.9	27.7	19.1	8.6	29.7	20.2	9.5
Kerala	Pathanamthitta	36.4	22.4	14.0	44.2	18.4	25.9	11.2	11.4	-0.2	22.7	13.3	9.4
Kerala	Thiruvananthapuram	33.0	22.5	10.5	33.0	20.5	12.5	15.2	21.6	-6.3	19.5	19.5	0.1




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Kerala	Thrissur	44.4	42.1	2.3	48.7	39.4	9.3	17.3	14.0	3.3	22.0	20.8	1.2
Kerala	Wayanad	26.9	32.3	-5.3	39.4	45.6	-6.2	22.5	27.2	-4.7	31.3	27.7	3.7
Ladakh	Kargil	92.0	73.1	18.9	87.9	87.6	0.3	21.8	20.3	1.5	36.5	39.6	-3.0
Ladakh	Leh (ladakh)	93.5	84.1	9.4	95.5	95.8	-0.3	19.0	16.8	2.2	24.3	20.6	3.7
Lakshadweep	Lakshadweep	25.8	46	-20.2	43.1	53.6	-10.5	25.8	23.6	2.2	32	26.8	5.1
Maharashtra	Ahmednagar	50.3	46.1	4.2	64.5	47.3	17.1	41.2	31.1	10.1	31.7	33.4	-1.8
Maharashtra	Akola	52.6	38.7	13.9	77.5	53.2	24.3	30.8	39.3	-8.5	31.8	41.2	-9.4
Maharashtra	Amravati	53.4	42.8	10.6	74.4	50.5	23.9	38.0	33.0	5.0	29.0	38.1	-9.0
Maharashtra	Aurangabad	52.4	45.0	7.4	64.5	38.3	26.3	42.9	36.0	6.9	34.2	38.6	-4.4
Maharashtra	Bhandara	65.3	52.7	12.7	72.8	43.0	29.7	33.9	32.5	1.3	31.3	40.5	-9.3
Maharashtra	Beed	50.8	36.5	14.3	61.0	57.4	3.5	36.8	36.9	0.0	40.8	37.8	3.0
Maharashtra	Buldana	57.8	41.0	16.9	79.4	43.1	36.3	47.2	41.3	5.9	45.0	43.9	1.0
Maharashtra	Chandrapur	55.5	48.7	6.8	76.6	58.8	17.8	46.6	40.3	6.4	37.3	32.2	5.1
Maharashtra	Dhule	61.2	53.5	7.7	72.2	67.0	5.2	46.0	47.5	-1.5	37.6	39.6	-2.0
Maharashtra	Gadchiroli	66.2	51.7	14.5	76.6	58.3	18.3	35.4	42.1	-6.7	35.7	32.5	3.3
Maharashtra	Gondia	60.4	55.1	5.4	78.0	57.0	21.1	35.6	40.1	-4.5	36.9	34.7	2.2
Maharashtra	Hingoli	51.3	42.0	9.3	72.5	51.5	21.0	38.9	36.9	2.0	37.4	39.6	-2.3
Maharashtra	Jalgaon	65.2	51.7	13.5	85.2	60.2	25.0	36.9	36.4	0.5	36.3	36.4	-0.1
Maharashtra	Jalna	58.2	43.9	14.3	68.3	49.5	18.9	39.0	43.6	-4.5	38.0	44.1	-6.1
Maharashtra	Kolhapur	50.1	46.8	3.3	66.4	45.2	21.2	34.7	31.2	3.4	33.6	26.9	6.7
Maharashtra	Latur	50.7	37.5	13.2	59.5	53.6	5.9	33.9	34.5	-0.5	43.2	34.7	8.5
Maharashtra	Mumbai	45.9	49.4	-3.5	72.8	65.7	7.1	29.6	22.7	6.8	26.6	25.5	1.2
Maharashtra	Mumbai Suburban	50.0	50.4	-0.4	65.6	70.0	-4.4	24.6	28.9	-4.3	37.2	21.3	15.9
Maharashtra	Nagpur	53.6	46.6	7.0	70.5	44.7	25.8	33.9	33.6	0.2	27.6	33.9	-6.3
Maharashtra	Nanded	57.3	47.5	9.8	76.1	53.6	22.6	35.2	34.4	0.8	36.0	40.4	-4.5
Maharashtra	Nandurbar	64.2	60.2	4.0	79.3	60.1	19.2	57.2	55.4	1.9	45.8	47.6	-1.8
Maharashtra	Nashik	56.2	54.7	1.5	67.3	52.9	14.4	44.8	42.9	1.9	42.2	43.5	-1.3
Maharashtra	Osmanabad	49.1	36.4	12.8	67.4	36.7	30.7	32.5	44.5	-12.0	37.2	43.3	-6.1




State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Maharashtra	Palghar	56.9	48.4	8.5	70.3	54.1	16.2	37.1	40.3	-3.2	33.0	38.5	-5.5
Maharashtra	Parbhani	58.8	46.4	12.5	75.4	52.1	23.3	41.8	42.3	-0.5	37.6	46.4	-8.8
Maharashtra	Pune	51.9	50.0	1.9	58.7	53.4	5.3	32.7	25.6	7.1	30.7	22.4	8.3
Maharashtra	Raigarh	54.2	53.1	1.2	67.0	53.4	13.6	34.1	38.6	-4.5	35.8	29.9	5.9
Maharashtra	Ratnagiri	43.4	47.3	-3.8	69.4	50.1	19.3	29.5	28.9	0.7	31.7	28.3	3.5
Maharashtra	Sangli	47.5	51.2	-3.8	62.7	49.6	13.2	27.2	24.8	2.4	35.0	23.3	11.7
Maharashtra	Satara	49.6	49.4	0.2	68.9	55.2	13.8	28.0	27.8	0.2	20.2	23.3	-3.1
Maharashtra	Sindhudurg	41.2	44.4	-3.2	55.6	39.9	15.8	32.0	25.2	6.8	30.8	25.9	4.9
Maharashtra	Solapur	54.5	44.3	10.2	70.9	51.5	19.4	32.9	34.6	-1.6	36.3	25.4	10.9
Maharashtra	Thane	58.8	48.4	10.4	67.9	54.1	13.8	30.8	40.3	-9.5	40.8	38.5	2.3
Maharashtra	Wardha	60.0	42.5	17.5	71.4	48.5	22.9	31.3	36.1	-4.8	27.7	30.5	-2.8
Maharashtra	Washim	56.4	35.5	20.9	70.4	60.3	10.1	39.3	42.9	-3.6	35.3	41.1	-5.7
Maharashtra	Yavatmal	58.4	46.9	11.5	75.2	68.9	6.3	39.4	49.1	-9.7	36.6	47.4	-10.8
Meghalaya	East Garo Hills	50.9	65.8	-15.0	28.0	75.4	-47.4	26.5	18.2	8.3	39.7	31.3	8.4
Meghalaya	East Jaintia Hills	43.9	45.6	-1.7	47.2	33.3	13.9	23.6	34.0	-10.4	49.8	50.8	-1.0
Meghalaya	East Khasi Hills	48.2	46.8	1.4	39.0	46.5	-7.6	23.8	30.4	-6.6	44.6	48.6	-4.0
Meghalaya	North Garo Hills	58.4	65.8	-7.4	30.2	75.4	-45.3	15.8	18.2	-2.4	35.6	31.3	4.3
Meghalaya	Ri Bhoi	62.4	68.0	-5.6	45.7	44.4	1.2	29.6	30.8	-1.2	42.5	51.6	-9.1
Meghalaya	South Garo Hills	56.2	46.6	9.7	33.6	74.9	-41.4	20.8	32.6	-11.8	29.8	16.8	13.0
Meghalaya	South West Garo Hills	62.5	71.1	-8.6	35.5	52.7	-17.2	26.4	26.0	0.4	32.2	30.6	1.6
Meghalaya	South West Khasi Hills	58.9	47.3	11.6	61.3	35.8	25.5	27.6	30.3	-2.7	51.4	51.1	0.3
Meghalaya	West Garo Hills	55.3	71.1	-15.8	30.2	52.7	-22.5	26.3	26.0	0.3	39.5	30.6	8.9
Meghalaya	West Jaintia Hills	55.9	45.6	10.3	54.6	33.3	21.3	28.3	34.0	-5.7	48.7	50.8	-2.1
Meghalaya	West Khasi Hills	51.8	47.3	4.5	56.2	35.8	20.4	31.1	30.3	0.8	59.0	51.1	7.9
Manipur	Bishnupur	35.8	26.8	9.0	42.4	21.4	20.9	11.7	13.7	-2.0	15.5	24.7	-9.2
Manipur	Chandel	27.3	23.5	3.8	42.4	28.4	14.0	14.7	13.2	1.5	34.0	36.1	-2.1
Manipur	Churachandpur	32.0	20.3	11.7	41.1	17.5	23.6	9.8	11.3	-1.5	25.1	35.7	-10.6
Manipur	Imphal East	35.9	27.3	8.6	50.3	20.8	29.6	14.4	17.1	-2.7	18.4	26.2	-7.8
Manipur	Imphal West	26.8	29.1	-2.3	41.8	29.3	12.5	10.2	8.4	1.8	15.6	21.0	-5.4



State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Manipur	Senapati	27.4	25.1	2.3	48.5	22.8	25.6	12.9	14.7	-1.9	27.3	35.0	-7.6
Manipur	Tamenglong	27.3	27.0	0.3	37.0	22.9	14.1	19.3	16.3	3.1	27.1	37.1	-10.0
Manipur	Thoubal	24.2	28.3	-4.1	39.7	24.9	14.8	14.9	17.9	-3.0	31.5	30.1	1.4
Manipur	Ukhrul	21.9	16.0	5.9	34.6	26.1	8.5	16.0	11.1	4.9	27.1	32.7	-5.5
Mizoram	Aizawl	31.7	18.4	13.3	44.0	10.5	33.5	9.6	6.7	3.0	25.3	23.7	1.6
Mizoram	Champhai	25.7	13.1	12.7	38.3	7.8	30.6	13.1	12.7	0.4	27.2	32.9	-5.7
Mizoram	Kolasib	37.7	39.1	-1.4	53.8	41.0	12.9	12.6	11.4	1.2	30.4	26.3	4.1
Mizoram	Lawangtlai	48.5	35.8	12.7	55.3	33.8	21.5	16.9	21.3	-4.4	32.7	35.3	-2.6
Mizoram	Lunglei	34.9	37.1	-2.2	45.7	26.9	18.9	11.1	13.1	-2.0	26.5	25.3	1.2
Mizoram	Mamit	34.9	27.6	7.3	45.5	19.4	26.1	13.9	17.5	-3.6	26.4	30.8	-4.4
Mizoram	Saiha	44.2	27.9	16.3	46.4	21.1	25.4	17.6	16.7	0.9	43.8	37.5	6.3
Mizoram	Serchhip	32.1	25.5	6.6	43.2	29.0	14.3	14.4	12.2	2.2	31.8	25.4	6.4
Nagaland	Dimapur	34.7	25.2	9.6	48.9	15.2	33.7	29.8	14.9	15.0	28.3	21.3	7.0
Nagaland	Kiphire	31.4	29.6	1.8	55.2	25.6	29.7	25.0	25.6	-0.6	36.9	41.8	-4.9
Nagaland	Kohima	14.9	26.8	-11.8	38.4	36.4	2.0	22.1	15.2	6.9	28.3	24.7	3.5
Nagaland	Longleng	34.6	21.1	13.5	40.4	14.2	26.2	25.7	17.1	8.6	34.1	26.1	8.0
Nagaland	Mokokchung	25.0	22.2	2.8	35.5	12.2	23.3	22.9	5.8	17.2	31.4	19.8	11.6
Nagaland	Mon	30.2	39.7	-9.4	39.4	42.6	-3.2	23.3	24.5	-1.2	35.5	35.8	-0.3
Nagaland	Peren	29.7	19.0	10.8	51.0	15.9	35.1	20.7	10.3	10.4	34.9	29.8	5.1
Nagaland	Phek	30.0	13.3	16.6	44.9	12.5	32.4	15.6	12.8	2.7	28.0	27.8	0.2
Nagaland	Tuensang	28.8	35.6	-6.8	38.8	28.8	10.1	34.2	20.3	13.9	37.1	35.5	1.6
Nagaland	Wokha	30.9	34.7	-3.8	45.4	31.6	13.8	28.0	11.9	16.2	26.3	18.0	8.3
Nagaland	Zunheboto	31.1	34.1	-3.0	34.9	41.1	-6.3	44.5	13.7	30.8	44.0	31.1	12.9
Sikkim	East Sikkim	43.3	34.4	8.9	49.8	49.7	0.1	13.0	11.2	1.8	17.8	24.0	-6.2
Sikkim	North Sikkim	36.7	44.3	-7.6	53.5	64.9	-11.4	15.3	17.9	-2.6	31.8	24.1	7.6
Sikkim	South Sikkim	39.8	31.9	8.0	56.5	61.6	-5.1	7.2	20.5	-13.4	24.8	32.8	-8.0
Sikkim	West Sikkim	42.7	36.8	5.8	67.1	58.7	8.3	19.3	14.7	4.6	25.2	42.3	-17.1
Telangana	Adilabad	61.1	63.7	-2.6	76.3	67.8	8.5	52.0	35.8	16.2	45.7	38.3	7.4
Telangana	Bhadradi	68.7	71.2	-2.5	69.3	72.2	-2.9	25.3	22.2	3.1	28.4	26.5	1.9



State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Telangana	Hyderabad	52.7	54.0	-1.4	63.6	54.9	8.7	18.9	16.8	2.1	30.4	15.7	14.7
Telangana	Jagitial	56.3	52.3	4.0	59.9	52.1	7.8	32.3	25.4	6.9	29.9	24.3	5.6
Telangana	Jangaon	57.5	56.6	0.9	69.5	66.1	3.4	30.9	31.6	-0.7	33.4	27.8	5.7
Telangana	Jayashankar	65.9	54.6	11.3	67.9	57.6	10.4	36.7	27.3	9.4	32.5	25.5	7.0
Telangana	Jogulamba Gadwal	64.6	50.6	14.0	82.4	64.4	18.0	41.7	34.5	7.2	49.7	37.1	12.6
Telangana	Kamareddy	58.9	56.0	2.9	71.6	65.9	5.7	43.9	36.3	7.6	33.4	36.6	-3.2
Telangana	Karimnagar	61.1	52.3	8.8	70.8	52.1	18.7	27.5	25.4	2.1	30.3	24.3	6.0
Telangana	Khammam	62.4	71.2	-8.8	60.5	72.2	-11.7	26.2	22.2	4.0	22.2	26.5	-4.4
Telangana	Komram Bheem	67.3	63.7	3.6	70.7	67.8	2.9	41.1	35.8	5.3	38.1	38.3	-0.3
Telangana	Mahabubabad	62.8	56.9	5.9	81.1	63.0	18.1	26.3	29.1	-2.8	33.0	26.6	6.4
Telangana	Mahabubnagar	54.7	50.6	4.1	82.6	64.4	18.2	33.0	34.5	-1.5	42.6	37.1	5.5
Telangana	Mancherial	56.7	63.7	-7.0	58.7	67.8	-9.1	27.4	35.8	-8.4	25.9	38.3	-12.4
Telangana	Medak	54.4	57.3	-2.9	70.0	67.5	2.5	42.0	37.0	5.0	36.4	33.4	3.0
Telangana	Medchal-Malkajgiri	56.8	54.9	1.9	73.8	48.2	25.6	25.0	25.8	-0.8	33.4	26.2	7.2
Telangana	Nagarkurnool	54.0	50.6	3.4	75.1	64.4	10.7	30.9	34.5	-3.6	35.1	37.1	-2.0
Telangana	Nalgonda	54.3	56.2	-1.9	74.5	69.1	5.4	28.0	34.1	-6.1	31.7	28.9	2.8
Telangana	Nirmal	57.7	63.7	-6.0	65.3	67.8	-2.5	33.4	35.8	-2.4	31.7	38.3	-6.6
Telangana	Nizamabad	57.0	56.0	1.0	65.3	65.9	-0.6	38.4	36.3	2.1	30.5	36.6	-6.1
Telangana	Peddapalli	64.6	52.3	12.3	69.6	52.1	17.5	33.1	25.4	7.7	27.5	24.3	3.2
Telangana	Rajanna	56.0	52.3	3.7	65.7	52.1	13.6	26.1	25.4	0.7	22.4	24.3	-1.9
Telangana	Rangareddy	53.2	54.9	-1.7	75.8	48.2	27.6	29.5	25.8	3.7	37.8	26.2	11.6
Telangana	Sangareddy	48.3	57.3	-9.0	67.0	67.5	-0.5	35.1	37.0	-1.9	32.9	33.4	-0.5
Telangana	Siddipet	56.7	54.8	1.9	63.5	59.8	3.7	29.6	31.2	-1.6	28.1	28.9	-0.8
Telangana	Suryapet	57.5	56.2	1.3	76.6	69.1	7.5	30.1	34.1	-4.1	29.1	28.9	0.2
Telangana	Vikarabad	61.0	52.8	8.3	70.0	56.3	13.7	37.1	30.2	7.0	32.1	31.7	0.5
Telangana	Wanaparthy	58.7	50.6	8.1	75.3	64.4	10.9	33.2	34.5	-1.3	40.4	37.1	3.3
Telangana	Warangal (Rural)	59.3	56.9	2.4	71.5	63.0	8.5	37.9	29.1	8.8	36.1	26.6	9.5
Telangana	Warangal (Urban)	57.9	54.6	3.3	67.0	57.6	9.5	36.0	27.3	8.8	29.5	25.5	4.1
Telangana	Yadadri	53.8	56.2	-2.4	65.3	69.1	-3.8	27.2	34.1	-6.9	38.3	28.9	9.4



State Name	District Name	Anemia (women)			Anemia (children)			Underweight (children)			Stunting (children)		
		2019	2016	Change	2019	2016	Change	2019	2016	Change	2019	2016	Change
Tripura	Dhalai	70.0	56.4	13.6	81.2	50.4	30.8	27.6	27.2	0.4	45.7	32.5	13.2
Tripura	Gomati	62.3	54.3	8.0	70.7	51.8	18.9	29.0	25.8	3.2	22.7	25.0	-2.3
Tripura	Khowai	63.7	54.8	8.9	73.4	52.0	21.4	24.7	19.0	5.7	47.0	19.5	27.5
Tripura	North Tripura	69.3	52.8	16.5	52.5	37.3	15.2	32.2	30.7	1.5	26.2	29.0	-2.8
Tripura	Sepahijala	69.4	54.6	14.8	72.1	51.9	20.2	21.0	22.4	-1.4	34.5	22.3	12.3
Tripura	South Tripura	66.5	54.3	12.2	59.6	51.8	7.8	21.6	25.8	-4.2	25.5	25.0	0.5
Tripura	Unakoti	67.9	52.8	15.1	62.8	37.3	25.5	32.0	30.7	1.3	31.8	29.0	2.8
Tripura	West Tripura	67.3	54.8	12.5	54.5	52.0	2.5	21.2	19.0	2.2	30.3	19.5	10.8
West Bengal	Bankura	77.0	66.9	10.1	67.1	47.3	19.8	38.8	39.8	-1.0	30.3	34.0	-3.7
West Bengal	Birbhum	77.7	63.8	13.9	76.5	59.0	17.5	41.8	43.1	-1.3	37.0	40.5	-3.5
West Bengal	Dakshin Dinajpur	82.0	77.0	5.1	72.5	66.7	5.8	30.2	28.1	2.1	31.9	32.9	-1.0
West Bengal	Darjiling	59.2	48.3	10.9	68.1	45.8	22.3	31.6	25.7	5.9	34.3	29.1	5.2
West Bengal	Howrah	65.3	58.1	7.2	67.7	56.8	10.9	27.3	28.4	-1.1	27.5	34.6	-7.1
West Bengal	Hooghly	75.1	63.2	11.8	67.9	53.3	14.6	33.4	28.7	4.7	28.9	30.1	-1.2
West Bengal	Jalpaiguri	71.4	67.0	4.4	67.4	71.0	-3.6	25.4	24.6	0.8	28.9	31.2	-2.3
West Bengal	Cooch Behar	74.8	69.1	5.6	66.4	58.2	8.1	22.5	29.3	-6.9	28.7	32.9	-4.3
West Bengal	Kolkata	58.2	46.4	11.8	72.3	70.0	2.3	32.9	19.6	13.3	29.6	24.2	5.4
West Bengal	Malda	73.6	59.0	14.6	71.0	55.2	15.9	35.3	37.2	-1.9	40.5	37.8	2.8
West Bengal	Murshidabad	77.6	57.5	20.1	72.1	46.7	25.4	32.4	34.6	-2.2	39.8	41.9	-2.2
West Bengal	Nadia	73.4	57.1	16.3	63.6	36.6	27.0	25.1	19.3	5.8	26.1	23.3	2.8
West Bengal	North 24 Parganas	65.3	62.7	2.6	57.9	53.5	4.4	23.6	18.3	5.3	32.4	23.8	8.6
West Bengal	Paschim Bardhaman	65.8	63.3	2.5	74.7	44.2	30.5	41.0	33.7	7.3	39.7	32.5	7.2
West Bengal	Paschim Medinipur	81.5	67.0	14.5	66.0	53.0	13.0	40.0	40.3	-0.3	31.1	29.4	1.7
West Bengal	Purba Bardhaman	77.9	63.3	14.6	71.5	44.2	27.3	31.6	33.7	-2.1	32.7	32.5	0.2
West Bengal	Purba Medinipur	70.4	59.0	11.4	67.5	42.5	25.0	30.6	32.8	-2.2	25.8	29.9	-4.1
West Bengal	Purulia	76.7	80.0	-3.3	77.9	66.8	11.1	46.3	58.2	-11.9	36.9	45.5	-8.6
West Bengal	South 24 Parganas	61.6	66.8	-5.2	70.4	65.2	5.3	32.2	27.8	4.3	36.7	27.3	9.4
West Bengal	Uttar Dinajpur	72.4	62.1	10.3	77.2	64.4	12.9	32.0	34.7	-2.7	44.8	40.4	4.4